



Ref. Certif. No.

**DK-122536-M2-UL**

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

**CB TEST CERTIFICATE**

Product

Ceiling fan

Name and address of the applicant

CEADESIGN Srl s.u.  
Via Brenta, 8 Pove del Grappa, VI, 36020  
Italy

Name and address of the manufacturer

CEADESIGN Srl s.u.  
Via Brenta, 8 Pove del Grappa, VI, 36020  
Italy

Name and address of the factory

CEADESIGN Srl s.u.  
Via Brenta, 8 Pove del Grappa, VI, 36020  
Italy

Note: When more than one factory, please report on page 2

Ratings and principal characteristics

100-240V 50/60Hz (All)  
30W (ARC01, ARC04, ARC07), 45W (ARC02, ARC05, ARC08), 70W  
(ARC03, ARC06, ARC09)

Trademark / Brand (if any)



Customer's Testing Facility (CTF) Stage used

Model / Type Ref.

ARC01, ARC02, ARC03, ARC04, ARC05, ARC06, ARC07, ARC08, ARC09

Additional information (if necessary may also be reported on page 2)

The report was revised to include technical modifications.  
National Differences: EU Group Differences  
☒ Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 60335-2-80:2015, IEC 60335-1:2010, IEC 60335-1:2010/AMD1:2013,  
IEC 60335-1:2010/AMD2:2016

As shown in the Test Report Ref. No. which forms part of this Certificate

25-NC27971-4791686132.1.1 issued on 2025-02-26

This CB Test Certificate is issued by the National Certification Body



☐ UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA  
☒ UL Solutions (Denko), Borupvang 5A DK-2750 Ballerup, DENMARK  
☐ UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN  
☐ UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2025-03-03

Original Issue Date: 2021-12-29

Signature:

  
Thomas Wilson





Ref. Certif. No.

**DK-122536-M2-UL**

**Additionally evaluated to:**

EN 60335-2-80:2003, EN 60335-2-80:2003/A1:2004, EN 60335-2-80:2003/A2:2009, EN 60335-1:2012, EN 60335-1:2012/A11:2014, EN 60335-1:2012/A13:2017, EN 60335-1:2012/A1:2019, EN 60335-1:2012/A2:2019, EN 60335-1:2012/A14:2019, EN 62233:2008

The product fulfils also the requirements of clause 32 of IEC 60335-2-65:2002 /A1:2008 / A2:2015

**Summary of Modifications:**

- Add new models
  - Add marking plates
  - Update/revision table 24 components list
  - Update of Photos Attachment
- See CB Test Report for details

**Additional information (if necessary)**



- ☐ UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- ☒ UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- ☐ UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- ☐ UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2025-03-03  
Original Issue Date: 2021-12-29

Signature:

Thomas Wilson

**Summary of compliance with National Differences (List of countries addressed):**

Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey, England.





Ref. Certif. No.

DK-73307-A1-UL

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE)  
CB SCHEME

## CB TEST CERTIFICATE

Product

Ceiling fans

Name and address of the applicant

CEADESIGN Srl s.u.  
Via Brenta, 8  
Pove del Grappa, 36020 VI Italy

Name and address of the manufacturer

CEADESIGN Srl s.u.  
Via Brenta, 8  
Pove del Grappa, 36020 VI Italy

Name and address of the factory

CEADESIGN Srl s.u.  
Via Brenta, 8  
Pove del Grappa, 36020 VI Italy

Note: When more than one factory, please report on page 2

☐ Additional Information on page 2

Ratings and principal characteristics

115/230V, 50/60Hz, 27/30W, IP44, Tropical class T, Ambient  
Temperature 43°C (both models)

Trademark / Brand (if any)

cea



Type of Customer's Testing Facility (CTF) Stage used

Model / Type Ref.

TWO01, TWO02

Additional information (if necessary may also be  
reported on page 2)

The report was revised to include administrative modifications.

☒ Additional Information on page 2A sample of the product was tested and found  
to be in conformity withIEC 60335-1:2010/AMD1:2013, IEC 60335-1:2010/AMD2:2016,  
IEC 60335-1:2010, IEC 60335-2-80:2015As shown in the Test Report Ref. No. which forms  
part of this Certificate

20-4789573539.1.1 issued on 2020-08-03

This CB Test Certificate is issued by the National Certification Body



UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA

UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2020-08-12

Original Issue Date: 2018-05-25

Signature:

Jan-Erik Storgaard



Ref. Certif. No.

**DK-73307-A1-UL**

**Additional Information:**

Additionally evaluated to EN 60335-2-80:2003/ A1:2004/ A2:2009, EN 60335-1:2012/ A11:2014/ A13:2017, EN 62233:2008; National Differences specified in the CB Test Report.

The original report was modified to include the following changes/additions:

Update the Applicant/Manufacturer/Factory address.

**Additional information (if necessary)**



- ☐ UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- ☒ UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- ☐ UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- ☐ UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2020-08-12

Original Issue Date: 2018-05-25

Signature:

Jan-Erik Storgaard

**Summary of compliance with National Differences (List of countries addressed):**

European requirements, European Group Differences and National Differences (Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, United Kingdom, Iceland, Montenegro, Serbia, North Macedonia, Turkey).

Singapore differences.





Ref. Certif. No.

DK-80575-A1-UL

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE)  
CB SCHEME

## CB TEST CERTIFICATE

Product

Electric towel rails

Name and address of the applicant

CEADESIGN Srl s.u.  
Via Brenta, 8  
Pove del Grappa, 36020 VI Italy

Name and address of the manufacturer

CEADESIGN Srl s.u.  
Via Brenta, 8  
Pove del Grappa, 36020 VI Italy

Name and address of the factory

CEADESIGN Srl s.u.  
Via Brenta, 8  
Pove del Grappa, 36020 VI Italy

Note: When more than one factory, please report on page 2

☐ Additional Information on page 2

Ratings and principal characteristics

SEL01: 24V $\overline{\text{---}}$ ; 10W, IPX5  
SEL02: 24V $\overline{\text{---}}$ ; 20W, IPX5  
Supplied from external AC/DC switching power supply,  
manufactured by Mean Well Enterprises Co Ltd, model  
LRS-100-24:  
Input: 100-240V; 50/60Hz; 2,1A; class I appliance  
Output: 24V $\overline{\text{---}}$ ; 4,5A

Trademark / Brand (if any)

cea



Type of Customer's Testing Facility (CTF) Stage used

Model / Type Ref.

SEL01, SEL02 (See test report for the explanation of the speaking code)

Additional information (if necessary may also be reported on page 2)

The report was revised to include administrative modifications.

☒ Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 60335-1:2010/AMD1:2013, IEC 60335-1:2010/AMD2:2016,  
IEC 60335-1:2010, IEC 60335-2-43:2017

As shown in the Test Report Ref. No. which forms part of this Certificate

20-4789573539.2.1 issued on 2020-08-03

This CB Test Certificate is issued by the National Certification Body



UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA

UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2020-08-13

Original Issue Date: 2019-02-05

Signature:

Jan-Erik Storgaard



Ref. Certif. No.

**DK-80575-A1-UL**

**Additional Information:**

Additionally evaluated to EN 60335-2-43:2003/ A1:2006/ A2:2008, EN 60335-1:2012/ A11:2014/ A13:2017, EN 62233:2008; National Differences specified in the CB test Report.

The original report was modified to include the following changes/additions:

Update the Applicant/Manufacturer/Factory address.

**Additional information (if necessary)**



- ☐ UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- ☒ UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- ☐ UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- ☐ UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2020-08-13

Original Issue Date: 2019-02-05

Signature:

Jan-Erik Storgaard



**Summary of compliance with National Differences (List of countries addressed):**

European requirements, European Group Differences and National Differences (Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, United Kingdom, Iceland, Montenegro, Serbia, North Macedonia, Turkey).

Australia and New Zealand national differences.



Ref. Certif. No.

**DK-167097-UL**

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

**CB TEST CERTIFICATE**

Product

Electric tower rails

Name and address of the applicant

CEADESIGN Srl s.u.  
Via Brenta, 8 Pove del Grappa, VI, 36020  
Italy

Name and address of the manufacturer

CEADESIGN Srl s.u.  
Via Brenta, 8 Pove del Grappa, VI, 36020  
Italy

Name and address of the factory

CEADESIGN Srl s.u.  
Via Brenta, 8 Pove del Grappa, VI, 36020  
Italy

Note: When more than one factory, please report on page 2

☐ Additional Information on page 2

Ratings and principal characteristics

24V= IPX5 (All)  
10W (SEL03, SEL05), 20W (SEL04, SEL06)  
☒ Additional Information on page 2

Trademark / Brand (if any)



Customer's Testing Facility (CTF) Stage used

Model / Type Ref.

SEL03, SEL04, SEL05, SEL06  
(See CB Test Report for details)

Additional information (if necessary may also be reported on page 2)

National Differences: EU Group Differences  
☒ Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 60335-2-43:2017, IEC 60335-1:2010, IEC 60335-1:2010/AMD1:2013,  
IEC 60335-1:2010/AMD2:2016

As shown in the Test Report Ref. No. which forms part of this Certificate

25-NC27971-4791635571.2.1 issued on 2025-05-23

This CB Test Certificate is issued by the National Certification Body



☐ UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA  
☒ UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK  
☐ UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN  
☐ UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2025-06-04

Signature:

Thomas Wilson





Ref. Certif. No.

**DK-167097-UL**

**Additional Ratings:**

Supplied by external AC/DC Switching Power supply by Mean Well model LRS-100-24 Input: 100-240V~ 50/60Hz 2.1A, Output: 24Vdc 4.5A

(See CB Test Report for details)

**Additionally evaluated to:**

EN IEC 60335-2-43:2020, EN IEC 60335-2-43:2020/A11:2020, EN 60335-1:2012, EN 60335-1:2012/A11:2014, EN 60335-1:2012/A13:2017, EN 60335-1:2012/A1:2019, EN 60335-1:2012/A14:2019, EN 60335-1:2012/A2:2019, EN 62233:2008

**Additional information (if necessary)**



- ☐ UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- ☒ UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- ☐ UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- ☐ UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2025-06-04

Signature:

Thomas Wilson

**Summary of compliance with National Differences (List of countries addressed):**

Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey, England.