



Ref. Certif. No.

**DK-122536-M3-UL**

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

**CB TEST CERTIFICATE**

Product

Ceiling fan

Name and address of the applicant

CEADESIGN Srl s.u.  
Via Brenta, 8 Pove del Grappa, VI, 36020  
Italy

Name and address of the manufacturer

CEADESIGN Srl s.u.  
Via Brenta, 8 Pove del Grappa, VI, 36020  
Italy

Name and address of the factory

CEADESIGN Srl s.u.  
Via Brenta, 8 Pove del Grappa, VI, 36020  
Italy

Note: When more than one factory, please report on page 2

Additional Information on page 2

Ratings and principal characteristics

100-240V 50/60Hz (All)  
30W (ARC01, ARC04, ARC07), 45W (ARC02, ARC05, ARC08),  
70W (ARC03, ARC06, ARC09)

Trademark / Brand (if any)



Customer's Testing Facility (CTF) Stage used

Model / Type Ref.

ARC01, ARC02, ARC03, ARC04, ARC05, ARC06, ARC07, ARC08, ARC09

Additional information (if necessary may also be reported on page 2)

The report was revised to include technical modifications.  
National Differences: EU Group Differences  
 Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 60335-2-80:2015, IEC 60335-1:2010, IEC 60335-1:2010/AMD1:2013,  
IEC 60335-1:2010/AMD2:2016

As shown in the Test Report Ref. No. which forms part of this Certificate

25-NC27971-4791953776.3.1 issued on 2025-09-19

This CB Test Certificate is issued by the National Certification Body



- UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2025-09-24  
Original Issue Date: 2021-12-29

Signature:   
Thomas Wilson



Ref. Certif. No.

**DK-122536-M3-UL**

**Additionally evaluated to:**

EN IEC 60335-2-80:2024, EN IEC 60335-2-80:2024/A11:2024, EN 60335-1:2012, EN 60335-1:2012/A11:2014, EN 60335-1:2012/A13:2017, EN 60335-1:2012/A1:2019, EN 60335-1:2012/A14:2019, EN 60335-1:2012/A2:2019, EN 60335-1:2012/A15:2021, EN 60335-1:2012/A16:2023, EN 62233:2008

The product fulfils also the requirements of clause 32 of IEC 60335-2-65:2002 /A1:2008 / A2:2015

**Summary of Modifications:**

Update National Differences.  
See CB Test Report for details

**Additional information (if necessary)**



- UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/names](http://www.ul.com/names)

Date: 2025-09-24  
Original Issue Date: 2021-12-29

Signature:

Thomas Wilson

**Summary of compliance with National Differences (List of countries addressed):**

EU Group.

Israel ND (for information only).



Ref. Certif. No.

**DK-181907-UL**

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

**CB TEST CERTIFICATE**

Product

Ceiling fan

Name and address of the applicant

CEADESIGN Srl s.u.  
Via Brenta, 8 Pove del Grappa, VI, 36020  
Italy

Name and address of the manufacturer

CEADESIGN Srl s.u.  
Via Brenta, 8 Pove del Grappa, VI, 36020  
Italy

Name and address of the factory

CEADESIGN Srl s.u.  
Via Brenta, 8 Pove del Grappa, VI, 36020  
Italy

Note: When more than one factory, please report on page 2

Additional Information on page 2

Ratings and principal characteristics

100-240V 50/60Hz 30W

Trademark / Brand (if any)



Customer's Testing Facility (CTF) Stage used

Model / Type Ref.

ARC12, ARC13, ARC14

Additional information (if necessary may also be reported on page 2)

Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 60335-2-80:2024, IEC 60335-1:2020, IEC 60335-1:2020/AMD1:2025

As shown in the Test Report Ref. No. which forms part of this Certificate

26-NC27971-4792155518.1.1 issued on 2026-06-09

This CB Test Certificate is issued by the National Certification Body



- UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2026-06-16

Signature:

Thomas Wilson

Summary of compliance with National Differences (List of countries addressed):

EU Group.

Israel.

Korea.



Ref. Certif. No.

DK-73307-M1-UL

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

Ceiling fans

Name and address of the applicant

CEADESIGN Srl s.u.  
Via Brenta, 8 Pove del Grappa, VI, 36020  
Italy

Name and address of the manufacturer

CEADESIGN Srl s.u.  
Via Brenta, 8 Pove del Grappa, VI, 36020  
Italy

Name and address of the factory

CEADESIGN Srl s.u.  
Via Brenta, 8 Pove del Grappa, VI, 36020  
Italy

Note: When more than one factory, please report on page 2

Additional Information on page 2

Ratings and principal characteristics

115/230V, 50/60Hz, 27/30W, IP44, Tropical class T, Ambient Temperature 43°C (both models)

Trademark / Brand (if any)

cea



Customer's Testing Facility (CTF) Stage used

Model / Type Ref.

TWO01, TWO02

Additional information (if necessary may also be reported on page 2)

The report was revised to include technical modifications.  
National Differences: EU Group Differences, SG  
 Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 60335-1:2010, IEC 60335-1:2010/AMD1:2013,  
IEC 60335-1:2010/AMD2:2016, IEC 60335-2-80:2015

As shown in the Test Report Ref. No. which forms part of this Certificate

25-NC27971-4791953776.4.1 issued on 2025-09-19

This CB Test Certificate is issued by the National Certification Body



- UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2025-09-26  
Original Issue Date: 2018-05-25

Signature:   
Thomas Wilson



Ref. Certif. No.

**DK-73307-M1-UL**

**Additionally evaluated to:**

EN IEC 60335-2-80:2024, EN IEC 60335-2-80:2024/A11:2024, EN 60335-1:2012, EN 60335-1:2012/A11:2014, EN 60335-1:2012/A13:2017, EN 60335-1:2012/A1:2019, EN 60335-1:2012/A14:2019, EN 60335-1:2012/A2:2019, EN 60335-1:2012/A15:2021, EN 60335-1:2012/A16:2023, EN 62233:2008

**Summary of Modifications:**

Updates to National Differences  
See CB Test Report for details.

**Additional information (if necessary)**



- UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2025-09-26  
Original Issue Date: 2018-05-25

Signature:

Thomas Wilson

**Summary of compliance with National Differences (List of countries addressed):**

EU Group.

Israel (for information only).

Singapore ND (for information only).



Ref. Certif. No.

**DK-80575-M1-UL**

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

**CB TEST CERTIFICATE**

Product

Electric towel rails

Name and address of the applicant

CEADESIGN Srl s.u.  
Via Brenta, 8 Pove del Grappa, VI, 36020  
Italy

Name and address of the manufacturer

CEADESIGN Srl s.u.  
Via Brenta, 8 Pove del Grappa, VI, 36020  
Italy

Name and address of the factory

CEADESIGN Srl s.u.  
Via Brenta, 8 Pove del Grappa, VI, 36020  
Italy

Note: When more than one factory, please report on page 2

Additional Information on page 2

Ratings and principal characteristics

SEL01: 24V , 10W, IPX5  
SEL02: 24V , 20W, IPX5  
Supplied from external AC/DC switching power supply,  
manufactured by Mean Well Enterprises Co Ltd, model  
LRS-100-24:  
Input: 100-240V, 50/60Hz, 2,1A, class I appliance  
Output: 24V , 4,5A

Trademark / Brand (if any)



Customer's Testing Facility (CTF) Stage used

Model / Type Ref.

SEL01, SEL02  
See test report for the explanation of the speaking code

Additional information (if necessary may also be reported on page 2)

The report was revised to include technical modifications.  
National Differences: EU Group Differences, AU, NZ  
 Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 60335-1:2010, IEC 60335-1:2010/AMD1:2013,  
IEC 60335-1:2010/AMD2:2016, IEC 60335-2-43:2017

As shown in the Test Report Ref. No. which forms part of this Certificate

25-NC27971-4791953776.2.1 issued on 2025-09-19

This CB Test Certificate is issued by the National Certification Body



- UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2025-09-24  
Original Issue Date: 2019-02-05

Signature:   
Thomas Wilson



Ref. Certif. No.

**DK-80575-M1-UL**

**Additionally evaluated to:**

EN IEC 60335-2-43:2020, EN IEC 60335-2-43:2020/A11:2020, EN 60335-1:2012, EN 60335-1:2012/A11:2014, EN 60335-1:2012/A13:2017, EN 60335-1:2012/A1:2019, EN 60335-1:2012/A14:2019, EN 60335-1:2012/A2:2019, EN 60335-1:2012/A16:2023, EN 62233:2008

**Summary of Modifications:**

Updates to National Differences  
See CB Test Report for details.

**Additional information (if necessary)**



- UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2025-09-24  
Original Issue Date: 2019-02-05

Signature:

Thomas Wilson

**Summary of compliance with National Differences (List of countries addressed):**

EU Group.

Australia/New Zealand.

Israel ND (for information only).



Ref. Certif. No.

**DK-167097-M1-UL**

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

**CB TEST CERTIFICATE**

Product

Electric tower rails

Name and address of the applicant

CEADESIGN Srl s.u.  
Via Brenta, 8 Pove del Grappa, VI, 36020  
Italy

Name and address of the manufacturer

CEADESIGN Srl s.u.  
Via Brenta, 8 Pove del Grappa, VI, 36020  
Italy

Name and address of the factory

CEADESIGN Srl s.u.  
Via Brenta, 8 Pove del Grappa, VI, 36020  
Italy

Note: When more than one factory, please report on page 2

Additional Information on page 2

Ratings and principal characteristics

24V-- IPX5 (All) 10W (SEL03, SEL05), 20W (SEL04, SEL06)  
 Additional Information on page 2

Trademark / Brand (if any)



Customer's Testing Facility (CTF) Stage used

Model / Type Ref.

SEL06, SEL05, SEL04, SEL03

Additional information (if necessary may also be reported on page 2)

The report was revised to include technical modifications.  
National Differences: EU Group Differences  
 Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 60335-2-43:2017, IEC 60335-1:2010, IEC 60335-1:2010/AMD1:2013,  
IEC 60335-1:2010/AMD2:2016

As shown in the Test Report Ref. No. which forms part of this Certificate

25-NC27971-4791953776.1.1 issued on 2025-09-19

This CB Test Certificate is issued by the National Certification Body



- UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2025-09-26

Original Issue Date: 2025-06-04

Signature:   
Thomas Wilson



Ref. Certif. No.

**DK-167097-M1-UL**

**Additional Ratings:**

Supplied by external AC/DC Switching Power supply by Mean Well model LRS-100-24 Input: 100-240V~ 50/60Hz 2.1A, Output: 24Vdc 4.5A

(See CB Test Report for details)

**Additionally evaluated to:**

EN IEC 60335-2-43:2020, EN IEC 60335-2-43:2020/A11:2020, EN 60335-1:2012, EN 60335-1:2012/A11:2014, EN 60335-1:2012/A13:2017, EN 60335-1:2012/A1:2019, EN 60335-1:2012/A14:2019, EN 60335-1:2012/A2:2019, EN 62233:2008

**Summary of Modifications:**

Updates to National Differences

See CB Test Report for details.

**Additional information (if necessary)**



- UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2025-09-26

Original Issue Date: 2025-06-04

Signature:

Thomas Wilson

Summary of compliance with National Differences (List of countries addressed):

EU Group.

Israel ND (for information only).